



Materials Safety Datasheet

Product Code : 3310, 3320, 3340, 3350
Issue : 1
Date of Issue : 12/10/2005

Identification of the substance, preparation and Company

Product Name : Wahl Clipper Oil 100mL
Distributor Name : Wahl (UK) Ltd
Herne Bay Trade Park
Sea Street
Herne Bay
Kent
CT6 8JZ
Telephone : (01227) 740066
Manufacturers Name : Lyondell Lubricants
12000 Lawndale Avenue
PO Box 2551
Houston, Texas
77252-2541
Telephone : +01 800 525 4692

Composition/Information on ingredients

Chemical Identification : White Mineral Oil. DUOprime® Oil 70
CAS Number : 8042-47-5
EINECS Number :

Contains	CAS Number	Hazard Symbol	Concentration %
White Mineral Oil	8042-47-5	R22	100%

Hazards Identification

General : Not expected to present any hazards under anticipated conditions of use. Not intended for human ingestion.
Hazard Symbol : None Required.
Risk Phrases : None Required. Spillage may create a slipping hazard.

First Aid Measures

Inhalation : No significant adverse health effects are expected to occur upon short term exposure to this product. Aspiration of this product into the lungs can cause severe lung damage or death.
Eye Exposure : Minimal eye irritation may result from short term contact with liquid, mist and/or vapour.
Skin Exposure : This product can cause mild skin irritation with short term exposure. Prolonged or repeated contact can cause mild skin irritation and inflammation, characterised by drying/cracking of the skin.
Ingestion : If swallowed in quantities greater than 5ml (teaspoon), this material can cause a laxative effect. DO NOT induce vomiting, as aspiration into the lungs can cause severe damage.



INVESTOR IN PEOPLE

Wahl (UK) Ltd. Herne Bay Trade Park, Sea Street, Herne Bay, Kent. CT6 8JZ
Customer Service.(01227) 740066
Technical Support.(01227) 744331



Fire Fighting Measures

Extinguishing Media	: Carbon Dioxide, Foam, Dry Chemical, Water Spray
Note	: Breathing apparatus will be required, to prevent against potential hazardous combustion or decomposition products. Upon combustion CO and CO ₂ are produced.

Accidental Release Measures

Personal Precautions	: Avoid contact with eyes and skin.
Spillage	: For small spills, absorb with a suitable non combustible inert material (sand, cotton) and place in a waste container for disposal. Large spills should be contained to maximise product recovery and disposal. Seek specialist advice. Absorbent pads or similar should be used.
Environmental Precautions	: Prevent product from entering drains, sewer or natural waterways. The product does float on water. Comply with Local Authority Regulation at all times.

Handling and Storage

Handling	: Use as instructed on the bottle. Avoid extreme temperatures as product degradation can occur. Do not expose empty containers to sources of ignition, and dispose of in accordance with Local Authority Regulations.
Storage	: Store in a cool, dry place, protected from heat sources and sunlight. Keep container closed. Do not store with strong oxidising agents.

Exposure Controls/Personal Protection

Personal Protective Equipment	: A Risk assessment of the work area should be conducted in accordance with COSHH regulations. If spraying or splashing is likely, a protective outer garment should be worn. Heavily soiled clothing should be laundered before re-use. If significant contact occurs, clothing should be removed, and shower promptly.
Respiratory Protection	: Do not aspirate liquid, mist or vapour into the lungs. If this is likely self contained breathing apparatus must be worn.
Eye Protection	: Take care not to get into eyes. If splashing or spraying is likely, suitable protective goggles should be worn.
Skin Protection	: If prolonged contact is expected, use gloves made from a chemical resistant material.

Physical and Chemical Properties

Appearance	: Thin liquid, colourless
Odour	: Odourless
pH Value @ 25°C	: Not determined
Freezing Point	: Not determined
Boiling Point	: 230°C
Melting Point	: Not determined
Flash Point	: >120°C/250°F
Relative Density	: Not determined
Solubility in Water	: Not soluble in water
Refractive Index	: Not determined
Viscosity (cps) @ 20°C	: Water thin mobile liquid.



Stability and Reactivity

Reactivity : Stable, will not promote hazardous reactions.
Decomposition : Will decompose above 50°C to produce acrid smoke.

Toxicological Information

: Not classed as toxic.
Effects from single or short term exposure to high concentrations of mineral oil mists, well above acceptable workplace exposure levels, include lung inflammation and damage.
Exposure to lower concentrations of mineral oil mists has shown not to produce significant toxicological effects. In long term studies no carcinogenic effects have been reported.

Ecological Information

Ecotoxicity : Analysis for ecological effects has not been conducted on this product. However, if spilled in large quantities, this product and any contaminated soil or water may be harmful to human, animal and aquatic life.
Environmental : Ecological effects testing has not been performed on this product. However, plants and animals may experience harmful or fatal effects when coated with petroleum based products. Petroleum based mineral oils will normally float on water. In stagnant or slow flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in the waterway might be sufficient to kill fish or other aquatic life, or create an anaerobic environment.

Disposal Considerations

: Dispose of according to Local Authority Regulations. Conditions of use may cause this material to become a hazardous waste. It is the responsibility of the user to determine if the material is a hazardous waste, at the time of disposal.

Transport Information

: Non hazardous according to Transport Regulations.

Regulatory Information

: Complies with CHIP 3 Regulations

Other Information

: The information in this document is to the best of our knowledge true and accurate, but all data, instructions, recommendations and/or suggestions are made without guarantee. No responsibility can be accepted for the consequences of misuse of this product.



INVESTOR IN PEOPLE

Wahl (UK) Ltd. Herne Bay Trade Park, Sea Street, Herne Bay, Kent. CT6 8JZ
Customer Service.(01227) 740066
Technical Support.(01227) 744331





Materials Safety Datasheet

Issued by:

PD Quinney

Technical Manager
Wahl (UK) Ltd



Wahl (UK) Ltd. Herne Bay Trade Park, Sea Street, Herne Bay, Kent. CT6 8JZ

Customer Service.(01227) 740066

Technical Support.(01227) 744331

